

# Tallinn Concert Hall

## PA & LIGHTNING EQUIPMENT LIST

Venue location : Tallinn, Estonia Str 9, 10145, Estonia

N59°25'58''

E24°45'9''

[info@kontserdimaja.ee](mailto:info@kontserdimaja.ee)

### Capacity:

Floor 1029, 1st balcony 491, 2nd balcony 308

**Total - 1829**

In combined mode - seated 1517, standing 400

**Total - 2117**

**ALEXELA**  
Kontserdimaja

| PA  | Qty |
|---|-----|
| Meyer Sound M1D   | 13  |
| Meyer Sound Mèlodie                                     | 10  |
| Meyer Sound MICA  | 20  |
| Meyer Sound MYA-UPA                                     | 2   |
| Meyer Sound Processor Galileo 616                       | 2   |
| Meyer Sound RMS Software                                | 1   |
| Meyer Sound Subwoofer 700 HP                            | 6   |
| Meyer Sound UPA-1P                                      | 2   |
| FOH   |     |
| FOH (Digidesign)-72 Ch with stagebox                    | 1   |
| MAC PRO with PROTOOLS recording software                | 1   |
| Tascam MD/CD-1 MKII                                     | 1   |
| Act.splitter XTA DS 800                                 | 1   |
| EQ XTA CQ 600   | 1   |
| Stage   |     |
| 19", 8HE stagebox, Transformer split (24ch)             | 3   |
| Y24LBH6E5 -24 ch multicore fanouts Harting-XLR male, 5m | 6   |
| Y24LCH6E5 -24 ch multicore fanouts Harting-XLR male, 5m | 2   |
| ST120LHF10, 12 ch stagebox, XLR- Harting 10m            | 4   |
| ST120LHF15, 12 ch stagebox, XLR- Harting 15m            | 3   |
| ST120LHF20, 12 ch stagebox, XLR- Harting 20m            | 2   |
| Harting extension cable 20m                             | 2   |
| Harting extension cable 30m                             | 2   |
| Monitors  |     |
| Meyer Sound stage monitor USM-100P                      | 4   |
| Mics  |     |
| EV RE-20  | 2   |
| Neumann KM 185  | 8   |
| Sennheiser e604   | 4   |
| Sennheiser MD421  | 4   |
| Shure Beta 52   | 2   |
| Shure Beta 58   | 8   |
| Shure Beta 87   | 3   |
| Shure Beta 91   | 1   |
| Shure MX 412D/S   | 1   |
| Shure SM 57   | 5   |
| XLR-XLR cables 2,5m                                     |     |
| XLR-XLR cables 5m                                       |     |
| XLR-XLR cables 10m                                      |     |
| Jack-Jack cables 3m                                     |     |

| <b>Radiomics - Spekter Q5 (740-814 MHz)</b>    |    |
|--|----|
| Clipmic Mipro MU53                             | 2  |
| DPA 4088 Cardioid Headband headset             | 3  |
| Shure Antenna/Power distro UA 845E             | 1  |
| Shure UHF Wideband directional antenna UA870WB | 2  |
| Shure UHF-R Bodypack transmitter UR-1          | 3  |
| Shure UHF-R Dual wireless Receiver UR4D        | 4  |
| Shure UHF-R Handheld transmitter UR2/Beta 58   | 3  |
| Shure UHF-R Handheld transmitter UR2/KSM9      | 2  |
| <b>Wireless in ear monitor</b>                 |    |
| Mipro UHF directional antenna                  | 2  |
| Sennheiser EK 300 IEM G3 receiver              | 2  |
| Sennheiser SR 300 IEM G3 transmitter           | 2  |
| <b>Accessories</b>                             |    |
| Audiobox - USB I/O                             | 1  |
| Audiobox - DIBOX                               | 2  |
| Audiobox - ISO SPLITTER 1 in,2out              | 2  |
| Audiobox - PRO DIBOX duo                       | 4  |
| Clinometer - LAP-TEQ display module            | 1  |
| Clinometer - LAP-TEQ sensor module             | 3  |
| <b>Stands</b>                                  |    |
| K&M Conductor note stand with LED light        | 1  |
| K&M keyboard stand with stacker                | 2  |
| K&M mic stand 210/9                            | 20 |
| K&M mic stand 259                              | 10 |
| K&M mic table stand                            | 3  |
| K&M music tray                                 | 25 |
| K&M musical stands with LED lights             | 70 |
| K&M guitar stand                               | 8  |
| K&M Round Base black stand                     | 3  |
| <b>Intercom</b>                                |    |
| Mic/line in activemonitor Yamaha MS 101 III    | 2  |
| On Off Mic Mipro MM-107                        | 2  |
| <b>Clearcom</b>                                |    |
| Clear-Com 1-ch beltback RS 601                 | 10 |
| Clear-Com 2-ch beltback RS 602                 | 1  |
| Clear-Com 2-ch main station CS-702             | 1  |
| Clear-Com 2-ch Mount Headset/Speaker Station   | 1  |
| Clear-Com Call Signal Flasher                  | 2  |
| Clear-Com double ear Headset CC-260            | 10 |
| Clear-Com Telephone-style handset              | 3  |
| <b>Carring PA (possible for sidefill)</b>      |    |
| Meyer Sound subwoofer UMS-1P                   | 2  |
| Meyer Sound UP-Junior 1P                       | 2  |
| Mixer Yamaha MG16/FX                           | 1  |
| Stand with adapter PROEL                       | 2  |
| Tascam MD/CD-1                                 | 1  |
| <b>DJ equipment</b>                            |    |
| Pioneer CDJ-900NXS                             | 2  |
| Pioneer CDJ-800MK2                             | 2  |
| Pioneer DJM-800                                | 1  |
| Technics SL1210MK5 7500                        | 2  |

| <b>Lightning Desk and Dimmers</b>                     |     |
|---|-----|
| ELC "Focushand - 2" (wireless DMX remote)             | 1   |
| Generic dimmer channels 2,4 Kw                        | 240 |
| Avolites Quartz with wing + ARTNET                    | 1   |
| DigiNet S ARTNET to DMX splitter                      | 2   |
| Wireless solutions "DMX transmitter-reciever"         | 2   |
| <b>Luminaires</b>                                     |     |
| RJ "329HF" (Fresnel 2kW/2,5kW)                        | 22  |
| RJ "329HPC" (PC 2kw/2,5kW)                            | 32  |
| RJ "613SX" (Profile 1000W, angle 28 - 54 degrees)     | 16  |
| RJ "614SX" (Profile 1000W, angle 16 - 35 degrees)     | 24  |
| RJ "714SX2" (Profile 2000W, angle 15 - 40 degrees)    | 12  |
| RJ "CF329" (Barndoors 2kw)                            | 54  |
| RJ "IWSX755" Iris                                     | 10  |
| <b>1KW (Fresnel,PC,PAR,CYC)</b>                       |     |
| LITECRAFT "CYC-1000" (cyclights 1000W, asymmetrical)  | 32  |
| LITECRAFT "PAR64, black, normal"                      | 48  |
| RJ "306LF" (Fresnel 1kW)                              | 16  |
| RJ "306LPB" (PC 1 kW)                                 | 16  |
| <b>Blinder</b>  |     |
| Flash 4000L PAR36 120V 650W                           | 6   |
| <b>Followspots</b>                                    |     |
| RJ "Super-Korrigan" (1,2kW HMI, iris, dimmer, stands) | 2   |
| <b>Moving lights</b>                                  |     |
| MARTIN "Quantum WASH"                                 | 20  |
| MARTIN "MAC VIPER Performance"                        | 8   |
| MARTIN MAC Encore™ Performance CLD                    | 16  |
| <b>Background light</b>                               |     |
| Chroma Q "Colorforce48"                               | 20  |
| <b>Accessories</b>                                    |     |
| LOOK SOLUTIONS "Unique hazer"                         | 2   |
| MARTIN "AF-1" DMX fan                                 | 2   |
| DOUGHTY "Studio 3500" (stand 3,5 m with max 40 kg)    | 4   |
| DOUGHTY "Floorstand"                                  | 12  |
| <b>Video</b>  |     |
| Barco ACS 2048  | 1   |
| Barco DP2000  | 1   |
| Lens 0,98'' DC2K Zoom (2,4 - 3,9):1                   | 1   |
| Lens 0,98'' DC2K Zoom (1,4 - 2,05):1                  | 1   |
| Composite signal switcher 1:3                         | 2   |
| Extron P/2 DA1 Peaker                                 | 1   |
| Extron Scaling Presentation Swittcher                 | 1   |
| Fiber Receiver/transmitter                            | 1   |
| Lindy Video to VGA                                    | 3   |
| Panasonic PT-D6000 videoprojector                     | 1   |
| Pioneer dv-610av-k DVD player                         | 1   |
| Samsung 50`` plasma screen with floor stand           | 2   |
| Smart SLX TX/RX system                                | 3   |
| Vario 240x180 screen, front & back comp.              | 1   |
| VGA Distribution amplifer 1:4                         | 2   |
| <b>Conference system</b>                              |     |
| Microcue Presenter Control                            | 2   |
| Limitimer speaker timer system                        | 1   |
| Laser pointer   | 1   |

| Cabels, power adapters                                |       |
|---|-------|
| 16CEE cable, 20m                                      | 6     |
| 32CEE cable, 20m                                      | 4     |
| 32CEE → 2 x 16CEE                                     | 2     |
| 16CEE → 3 x schuko                                    | 2     |
| 32CEE → 3 x schuko                                    | 2     |
| SOCAPEX extension cord 10m                            | 4     |
| SOCAPEX extension cord 25m                            | 2     |
| SOCAPEX extension cord 30m                            | 4     |
| SOCAPEX → 6 x shuko (box)                             | 4     |
| SOCAPEX → 6 x shuko (outlet)                          | 4     |
| SOCAPEX → 6 x shuko (plug)                            | 2     |
| 220V extension cord 1,5m                              |       |
| 220V extension cord 2m                                |       |
| 220V extension cord 3m                                |       |
| 220V extension cord 5m                                |       |
| 220V extension cord 10m                               |       |
| 220V extension cord 15m                               |       |
| 220V extension cord 20m                               |       |
| Cable protector 2 ch                                  | 20    |
| Risers  |       |
| riser 2x1 m   | 35    |
| riser 1x1 m   | 4     |
| riser 2x0,5 m   | 4     |
| riser 1x0,5 m   | 4     |
| adjustable leg 40-65 cm                               | 24    |
| adjustable leg 65-100 cm                              | 24    |
| leg 20 cm   | 160   |
| leg 40 cm   | 120   |
| leg 60 cm   | 100   |
| leg 40 cm with weel                                   | 8     |
| leg 60 cm with weel                                   | 8     |
| stair 20cm  | 4     |
| stair 40cm  | 4     |
| stair 60cm  | 2     |
| stair 80cm  | 2     |
| handrail for 2 stairs                                 | 4     |
| Dancing floor - 1,6 mm thick, 20 m x 1,6 m            | 8 pcs |
| CONCERT GRAND PIANO ESTONIA, model 274, ser.no 7579   | 1     |
| Electric Piano Yamaha CLP 330M (mahagon), piano chair | 1     |

***Venue is not providing a monitor system!***

*(maja ei paku monitor süsteemi)*

***Technical equipment amount depends on event needs***

*(tehnik kogus võib erineda vastavalt ürituse iseloomule)*

STAGE POWER :

